






# PRODUCT LIST

## CONTENTS

- Progren Deck Boards Overview
- Complete Range of Decking Systems
- Product Specifications

## PROGREN DECK BOARDS OVERVIEW

Product Range: Classy 120, Elegent 150, Magnificent 170

Product Data			
	Classy 120	Elegent 150	Magnificent 170
Length, m	3, 4*, 5*	3, 4*, 5*	3, 4*, 5*
Pallet, pcs	135	140	120
Material Requirements per m <sup>2</sup>			
	Classy 120 	Elegent 150 	Magnificent 170 
Dimensions, mm**	22 x 120	22 x 150	22 x 170
Deck Boards, lin m	8	6.5	5.7
Joists, lin m	4	4	4
Installation with Hidden fasteners			
Clips including Screws, pcs	21 Hidloc clips	22 Hidloc clips	20 Hidloc clips
Optional Accessories			
Start Clip	As Required	As Required	As Required
Joist Spacing, cm (Recommended for Hot Countries)			
Residential	40	30	30
Commercial	35	30	30
45° Deck Installation	20	20	20
Deck Warrantees			
Residential	15 Years Limited	15 Years Limited	15 Years Limited
Commercial	10 Years Limited	10 Years Limited	10 Years Limited

\* Made to order \*\* Subject to 2% tolerance

## Board End Spacing, mm

Based on Temperature	Recommended minimum gap in mm between board ends for varying board lengths				
	1m Board	2m Board	3m Board	4m Board	5m Board
20°C	3	3	4	4	5
30°C	3	3	4	4	5
40°C	3	3	4	5	6
50°C	3	3	4	5	6

## - I N S T A L L A T I O N -

### PROGREN DECKING - COMPLETE RANGE OF DECKING SYSTEMS

#### 1 Deck Boards

Progren Deck Boards are available in 6 different colors.

#### 2 Joists

This is the basis for a good sub-construction. Our composite version can be used for minimum installation heights or elevated constructions with extra wide spans.

#### 3 L-end Caps


For enclosing the ends of the deck boards.

#### 4 Hidloc (Hidden Fasteners)

Allows quick installation and removal of Progren deck boards; accounts for thermal expansion







#### 5 Starter Clip

For installing the first end boards




## PROGREN DECKING - PRODUCT SPECIFICATIONS

- Classy design and long lasting decks
- Low Maintenance
- 10/15 years warranty
- Smart accessories and fastening system
- High impact strength and stain resistance
- Made in UAE

		Cinnamon	Old Parchment	Coppery Brown	Tortilla	Fossil	Dark Walnut
	<b>Classy 120</b> 22mm(H) x 120mm(W) x 3m(L)	●	●	●	●	●	●
	<b>Elegant 150</b> 22mm(H) x 150mm(W) x 3m(L)	●	●	●	●	●	●
	<b>Magnificent 170</b> 22mm(H) x 170mm(W) x 3m(L)	●	●	●	●	●	●
	<b>Fascia 150</b> 8mm(H) x 150mm(W) x 4m(L)	●	●	●	●	●	●
	<b>Support Joist</b> 30mm(H) x 40mm(W) x 4m(L)	●	●	●	●	●	●
	<b>Cover Strip</b>	●	●	●	●	●	●

Standard lengths of the board - 3m

● Available ● Made to order ● Subject to availability



Cinnamon



Old Parchment



Coppery Brown







Tortilla



Fossil



Dark Walnut

	Accessories	Purpose	Installation gap between boards	Material	Quantity in Box
	Hidloc	Fixing deck boards	5mm	Steel	100+ pcs
	Starter Clip	Start and end board installation		Steel	100+ pcs
	Screw Box*	Use with composite sub construction		Steel	100+ pcs
	Foot Riser	Height adjustment of sub construction		Plastic	-

\* Included in standard hidloc clip boxes

**PROGREN**  
engineered to be green

PO BOX 9693, SAIF Zone, Sharjah, UAE. T: +971 6 5574297 | F: +971 6 5574307